

A & S Pharmaceutical

Exhibits

012 3051

~~WRIGHT D&L, Inc. Intergovernmental Health Project, Inc.~~

**FORMUCARE, E**

# Aspirin

DATA FOR EXERCISE

**PAIN RELIEVER/  
FEVER REDUCER**

www.wiley.com

*Compare to the active  
ingredient in Bayer®*

**BERKLEY  
JENSON**

**INSTRUCTIONS:** For the temporary relief of headache, pain and fever in colds, muscle aches and pains, toothache, sore throat, earache, sinus, and general aches and pains of adults.

**DIRECTIONS:** Adults & children over 12 years: Take 1 tablet 12 times in 24 hours as directed by a doctor. Children under 12 years: Consult a doctor.

**ACTIVE INGREDIENTS:** 500 mg acetaminophen every 4-6 hours or as directed by a doctor. Children under 12 years: Consult a doctor.

**WARNING:** Children and teenagers should not take this medicine for chicken pox or flu. It can cause Reye's syndrome.

**DRUG FACTS:** Generic name: Acetaminophen. Nonprescription. Strength: 500 mg. Expiration date: See bottom of bottle.

**FORMUCARE**

# *Aspirin*

TABLETS, 325 mg each

**PAIN RELIEVER/  
FEVER REDUCER**

*Ultra thin coating  
for easy swallowing*

**DO NOT USE IF THE PRINTED SEAL  
ABOVE THIS LINE IS BROKEN OR MISSING.**

**INSTRUCTIONS** For the temporary relief of headache, toothache, fever, or minor muscle aches and pains, resulting from colds, sore throat, backache, and menstrual cramps. **DOSAGE:** Adults: 2 tablets every 4 hours as needed. Do not exceed 12 tablets total daily, unless directed by a doctor. Children: Children over 12 years of age: 1 tablet every 4 hours. **WARNING:** If you experience drowsiness, difficulty breathing, or if your condition worsens, stop taking this medicine and see your physician. **PRECAUTIONS:** Children and teenagers should not use this product for extended periods of time because it may cause serious and fatal liver problems. If you have been drinking alcohol and/or are taking aspirin, do not drink beer or wine for at least 2 days because it may be a reaction. Do not take more than 4 tablets in 24 hours. If you have a history of liver problems or if you are pregnant, it is important to consult a doctor. **DRUGS AND ASPIRIN:** Do not use any drug, if you are pregnant or nursing a baby, without consulting a doctor. **ADVISORY:** It is extremely important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a physician because of a rare adverse problem with the unborn child. **IF YOU HAVE A DRUG ALLERGY:** Do not take aspirin if you are allergic to any drug, including aspirin. In case of accidental overdose, contact a physician or hospital. **MADE EXCLUSIVELY FOR FORMUCARE** Aspirin, 325 mg. Also contains Hydroxyapatite. Manufactured by: **FORMUCARE** Division of **W.F. Young, Inc.** Springfield, Massachusetts 01102 U.S.A.



**SECRET**

DISCLOSURE ACTED IN THE INTEREST OF NATIONAL SECURITY AND IS  
NOT SUBJECT TO THE EXEMPTIONS CONTAINED IN THE FOIA.



2000 OUNCES ADULT - 1 OR 2 TABLETS WITH WATER APPROXIMATELY TWICE A DAY. CHILDREN UNDER 12 YEARS: CONSULT A PHYSICIAN.  
WARNING: Do not take more than the recommended daily dose or for longer than directed by your doctor. Do not take if you have ever had an allergic reaction to aspirin or any other salicylate. Aspirin may cause serious side effects. If you experience difficulty breathing, swelling of the face, lips, tongue or throat, or if you have a severe allergic reaction to aspirin, seek medical help immediately. If you have questions about aspirin, call 1-800-333-0004 (US and Canada) or 415-257-5500 (elsewhere).

Side Effects: While taking aspirin, some people experience nausea, dizziness, constipation, diarrhea or skin rash. These symptoms may indicate the need for medical attention.

**SEIZURE INFORMATION: Special caution is advised for persons who may be sensitive to aspirin, particularly those with a history of convulsions or seizures.**

**OVERDOSE: Call 1-800-333-0004 (US and Canada) or 415-257-5500 (elsewhere).**

**STORAGE: Store in a dry place away from heat and direct sunlight.**

**MADE IN U.S.A.**

**U.S.P.**

