$[\]frac{1}{p^{b}} \frac{c}{c} \frac{b}{b} \frac{t}{b} = \frac{c}{b} \frac{b}{b} \frac{t}{b} = \frac{c}{b} \frac{b}{c} \frac{b}{b} \frac{c}{c} \frac{b}{b} \frac{b}{c} \frac{c}{c} \frac{b}{c} \frac{b}{c} \frac{b}{c} \frac{c}{c} \frac{b}{c} \frac{b}{c} \frac{b}{c} \frac{c}{c} \frac{b}{c} \frac{c}{c} \frac{b}{c} \frac{b}{c} \frac{c}{c} \frac{b}{c} \frac{c}{c} \frac{b}{c} \frac{c}{c} \frac{b}{c} \frac{c}{c} \frac{c}$

II. * 47 (* чI C

ph ______ ct, " ______ ct, " ______ • بد ^{طر} ±٥. $P = P_{c} \cdot Fd (1)$ $2l \cdot n + \frac{1}{2} \cdot n + \frac{1}{2} \cdot \frac{1}{2} \cdot$

 $\begin{array}{c} \mathbf{L} & \mathbf{f} \mathbf{f} \cdot \mathbf{f} \mathbf{f} \cdot \mathbf{p} \\ \mathbf{L} & \mathbf{f} \cdot \mathbf{f} \cdot \mathbf{f} \\ \mathbf{L} & \mathbf{f} \cdot \mathbf{h} \cdot \mathbf{h} \\ \mathbf{h} & \mathbf{f} \cdot \mathbf{h} \cdot \mathbf{h} \\ \mathbf{h} & \mathbf{f} \cdot \mathbf{h} \cdot \mathbf{h} \\ \mathbf{h} & \mathbf{h} \\ \mathbf{h}$

A Pat (1) f, t, t, t, c, t, b, c. , b, c. $\begin{array}{c} p_{12} = C = C \int A & p_{1-1} p_{1} & p_{1-1} p_{2} \\ \vdots & \vdots & \vdots & p_{1-1} p_{1-1} & p_{1-1} p_{1-1} \\ \vdots & \vdots & \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} & \vdots & \vdots \\ \vdots & \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} & \vdots & \vdots \\ \vdots & \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} & \vdots \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} & \vdots \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} & \vdots \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} & \vdots \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & \vdots \\ p_{1-1} p_{1-1} p_{1-1} p_{1-1} \\ \vdots & p_{1-1} p_{1-1} \\$

(2) , the 228.2 . . . the Ch $\begin{array}{c} \mathbf{p} \\ \mathbf$ $\begin{array}{c} \begin{array}{c} & & \\$ 1.1.0

 $\begin{array}{c} & & & & \\ \mathbf{b}_{\mathbf{x}} & 1 & 3, \mathbf{A} \\ \vdots & & \mathbf{b}_{\mathbf{x}} & \mathbf{b}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} \\ \vdots & & & \mathbf{b}_{\mathbf{x}} & \mathbf{b}_{\mathbf{x}} & \mathbf{b}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} \\ \vdots & & & & \mathbf{b}_{\mathbf{x}} & \mathbf{b}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} \\ \vdots & & & & & \mathbf{b}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} & \mathbf{c}_{\mathbf{x}} \\ \end{array}$.

to a parta and the area 228. .

the state of the s

 $= \underbrace{\begin{array}{c} \begin{array}{c} & & \\ & & \\ \end{array}}_{p} \underbrace{\begin{array}{c} & & \\ & & \\ \end{array}}_{p} \underbrace{\begin{array}{c} & & \\}\\}_{p} \underbrace{\begin{array}{c} & & \\}\\}_{p} \underbrace{\begin{array}{c} & & \\}\\\\\end{array}}_{p} \underbrace{\begin{array}{c} & & \\}\\\end{array}}_{p} \underbrace{\begin{array}{c} & & \\}\\\end{array}}_{p} \underbrace{\begin{array}{c} & & \\}\\\\\end{array}}_{p} \underbrace{\begin{array}{c} & & \\\\\end{array}}_{p} \underbrace{\begin{array}{c} & & \\\end{array}}\\\\\end{array}}_{p} \underbrace{\begin{array}{c} & \\\\\end{array}}\\\end{array}}_{p} \underbrace{\begin{array}{c} & \\\\\end{array}}\\\end{array}$ }_{p} \underbrace{\begin{array}{c} & \\\\\end{array}}\\\\\end{array}}_{p} \underbrace{\begin{array}{c} & \\\end{array}}\\\end{array}}_{p} \underbrace{\begin{array}{c} & \\\end{array}}\\\end{array}}_{p} \underbrace{\begin{array}{c} & \\\end{array}}\\\end{array}

 r^{1} Ord r^{1} , r^{1} ,

III. D ()) r *) dí ՅԱՎ

· Chata - tat prove

 $\frac{1}{2} + \frac{1}{2} + \frac{1}$ a auto at that

 $\begin{array}{c} \mathbf{k} & \mathbf$ $\frac{1}{2} \int \frac{1}{2} \int \frac{1}$

1 . . ., .

 $\begin{array}{c} & & & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & & \\ & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & &$ he better the concent

BA. ME A the st , to 12 228.8, 228. , 12 C 228.11

a of the of the constants of

^{!!} '. (. **!** .

to the first of th a st. a at a con $\begin{array}{c} \mathbf{b} & \mathbf{b} \\ \mathbf{b} & \mathbf{b} \\ \mathbf{b} \\ \mathbf{b} \\ \mathbf{b} \\ \mathbf{b} \\ \mathbf{c} \\ \mathbf{$.

, to a 228.1 . a c 228.1 . c o . .

, t. L. 228.1 L C 228.1 . C L CL '.

 $\frac{1}{2} \frac{1}{2} \frac{1}$

!..!_____!......!!.........!!! the line product

- h - i h pit, ih of $\begin{array}{c} \mathbf{b}_{1} = \mathbf{c}_{1} = \mathbf{c}$